

empackEmpack Spraytech Inc.
98 Walker Drive
Brampton, Ontario, L6T 4H6
Canada
905-792-6571**PRODUCT: emzone Odorstop (Fresh Linen) - 156g****CODE: P6-044211****SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Product Identity..... emzone Odorstop (Fresh Linen) - 156g
 Product Item Numbers..... P6-044211
 Manufacturer..... Empack Spraytech Inc.
 98 Walker Drive
 Brampton
 Ontario
 Canada
 L6T 4H6
 905-792-6571
 24 hour emergency telephone number..... CANUTEC: (613)-996-6666 collect.
 Recommended Use..... Deodorizer.

SECTION 02: HAZARDS IDENTIFICATION

Hazard Classification:
 Physical Hazards..... Flammable Aerosols - Category 2. Gases Under Pressure - Liquefied Gas .
 Health Hazards..... Eye Damage/Irritation - Category 2A.
 Label Elements:
 Signal Word
 Hazard Statement..... Flammable aerosol. Pressurized container: may burst if heated. Contains gas under pressure; may explode if heated. Causes serious eye damage.
 Precautionary Statements:
 Prevention..... Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash hands thoroughly after handling. Wear eye protection/face protection.
 Response..... IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
 Storage..... Protect from sunlight. Do not expose to temperatures exceeding 50°C /122°F. Store in a well-ventilated place.
 Disposal..... None.
 Hazard(s) not otherwise classified (HNOC).. None Known.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS

| HAZARDOUS INGREDIENTS | CAS # | WT. % |
|-----------------------|-------------|-------|
| Ethyl Alcohol | 64-17-5 | 40-70 |
| 1,1-Difluoroethane | 75-37-6 | 30-60 |
| Odor neutralizer | Proprietary | 1-5 |
| Fragrance | Mix | 0.1-1 |

SECTION 04: FIRST AID MEASURES

Inhalation..... Supply fresh air if any irritations persists.
 Eye Contact..... Check for and remove contact lenses. Immediately flush eyes with water for a minimum of 15 minutes keeping eyelids open. Consult a doctor if any irritation occurs. Get medical attention if irritation persists.
 Skin Contact..... Remove contaminated clothing. Launder clothing before reuse. Wash thoroughly with soap and lukewarm water.
 Ingestion..... Not likely to be ingested. If occurs, do not give anything by mouth to an unconscious person. Do not induce vomiting, get medical attention. Obtain medical advice.
 Most important symptoms/effects, acute and delayed Direct eye contact may cause temporary eye irritation.

PRODUCT: emzone Odorstop (Fresh Linen) - 156g

CODE: P6-044211

SECTION 04: FIRST AID MEASURES

Indication of immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. In case of shortness of breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 05: FIRE FIGHTING MEASURES

Suitable Extinguishing Media..... Dry chemical powder. Carbon dioxide. Foam, water spray or fog.
 Unsuitable Extinguishing Media..... None in particular.
 Specific Hazards Arising from the Chemical. Contents under pressure. Pressurized container may explode when exposed to heat or flame.
 Special Protective Equipment and Firefighters must use standard protective equipment including flame retardant coat, helmet
 Precautions for Firefighters with water to prevent vapor pressure build up. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Remove undamaged containers from immediate hazard area if it is safe to do.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures Ensure adequate ventilation; avoid formation of dust. Wear protective equipment and keep unprotected persons away. Use respiratory protection against the effects of dust.
 Methods and Materials for Containment and Cleaning Up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13). Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.
 Environmental Precautions..... Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling..... Wash thoroughly after handling . Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Avoid contact with eyes. Avoid breathing vapours or spray mists of this product. Contents under pressure. Use with adequate ventilation. Keep away from heat, sparks, and open flames.
 Conditions for Safe Storage including any ... Store in a cool, dry, well-ventilated area away from incompatible substances. Do not store
 Incompatibilities in direct sunlight. Do not handle or store near an open flame, heat or other sources of ignition. Store away from incompatible materials (see Section 10). Store at temperature below 50°C (120°F).

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

| INGREDIENTS | ACGIH TLV | | OSHA PEL | | NIOSH |
|---------------------------------------|---|----------------------|-----------------|-----------------|-----------------|
| | TWA | STEL | PEL | STEL | |
| Ethyl Alcohol | Not established | 1,000 ppm 15 minutes | 1,000 ppm | Not established | 1,000 ppm |
| 1,1-Difluoroethane | Not available | Not available | Not available | Not available | Not available |
| Odor neutralizer | Not available | Not available | Not available | Not available | Not available |
| Fragrance | Not established | Not established | Not established | Not established | Not established |
| Appropriate Engineering Controls..... | Local exhaust ventilation required to maintain the point of use below the Threshold Limit Value if unprotected personnel are involved. Ground all equipment and cylinders before use. | | | | |
| Individual Protection Measures: | | | | | |
| Eye/Face Protection..... | Prevent eye contact, wear safety glasses in the event that eye contact is possible. | | | | |
| Skin Protection..... | Not normally required. | | | | |
| Respiratory Protection..... | Not required on a short-term basis or if exhaust ventilation is provided. Use approved NIOSH respirators for emergencies. | | | | |
| Thermal Hazards..... | None Known. | | | | |
| General Hygiene Considerations..... | When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment prior to use. | | | | |

PRODUCT: emzone Odorstop (Fresh Linen) - 156g

CODE: P6-044211

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|--------------------------------|
| Physical State..... | Aerosol. |
| Physical Appearance..... | Fine mist. |
| Odour..... | Fragrance. |
| Odour Threshold (ppm)..... | Not available. |
| pH..... | Not applicable. |
| Vapour Pressure (psig)..... | 58. |
| Vapour Density (Air=1)..... | > 1. |
| Evaporation Rate (n-Butyl Acetate = 1)..... | Not available. |
| Boiling Point (propellant), ° C..... | -25. |
| VOC Content..... | No data . |
| Specific Gravity (Liquid)..... | 0.793. |
| Specific Gravity (Aerosol)..... | 0.845. |
| Solubility in water..... | Not available . |
| Auto Ignition Temperature (°C)..... | 440. (Propellant). |
| Flash Point (°C), Method..... | -50. Closed cup. (Propellant). |
| Lower Explosive Limit (% vol)..... | 4.32. (Propellant). |
| Upper Explosive Limit (% vol)..... | 17.35. (Propellant). |

SECTION 10: STABILITY AND REACTIVITY

| | |
|---|---|
| Reactivity | Product not reactive under normal conditions of use. |
| Chemical Stability..... | Stable at normal temperatures and pressures. |
| Possibility of Hazardous Reactions..... | Will not occur. |
| Conditions to Avoid..... | Avoid sources of heat and flame, and electrostatic charge. |
| Incompatible Materials..... | Avoid contacting with oxidizers. |
| Hazardous Decomposition Products..... | Thermal decomposition and burning may produce carbon monoxide and carbon dioxide. |

SECTION 11: TOXICOLOGICAL INFORMATION

| INGREDIENTS | LC50 | LD50 |
|--|--|-----------------------|
| Ethyl Alcohol | 20,000 ppm (10 hrs) | 12.6 g/kg (Rat, Oral) |
| 1,1-Difluoroethane | 690843 mg/m ³ (mouse - 4h) | Not available |
| Odor neutralizer | Not available | Not available |
| Fragrance | No data | No data |
| Information on Likely Routes of Exposure: | | |
| Routes of entry - Inhalation..... | Yes. | |
| Routes of entry - Skin & Eye..... | Yes. | |
| Routes of entry - Ingestion..... | Yes. | |
| Routes of entry - Skin Absorption..... | Yes. | |
| Symptoms Related to the Physical, Chemical and Toxicological Characteristics | Irritant effects. | |
| Acute Toxicity..... | May be harmful if swallowed. | |
| Skin Corrosion/Irritation..... | Causes mild skin irritation. Prolonged contact may be more irritating. | |
| Serious Eye Damage/Eye Irritation..... | Direct contact with eyes causes temporary irritation. | |
| Respiratory or Skin Sensitization..... | Inhalation may cause respiratory tract irritation. May cause skin sensitization. | |
| Germ Cell Mutagenicity..... | No information is available, and no adverse effects are expected. | |
| Carcinogenicity..... | Not classified as carcinogenic by ACGIH, IARC, OSHA or NTP. | |
| Reproductive Toxicity | | |
| STOT - Single Exposure..... | Not classified. | |
| STOT - Repeated Exposure..... | Not classified. | |
| Aspiration Hazard..... | No data available . | |
| Chronic Effects..... | No long term chronic effects are known or anticipated. | |

SECTION 12: ECOLOGICAL INFORMATION

| | |
|-------------------------------------|--|
| Ecotoxicity..... | This product contains the following substances which is hazardous for the environment: 1,1-difluoroethane: Fish (Various) LC50-295.783 mg/l (96h), Daphnia magna EC50-146.695 mg/l (48h). Ethyl alcohol (CAS#: 64-17-5): Toxicity to fish: LC50 14200 mg/L, 96 hrs; Toxicity to other aquatic invertebrates: 9300 mg/L, 48 hrs; Toxicity to algae: not available. |
| Persistence and degradability | The product itself has not been tested. |
| Bioaccumulation Potential..... | The product itself has not been tested. |
| Mobility in Soil..... | The product itself has not been tested. |
| Other Adverse Effects..... | None Known. |

PRODUCT: emzone Odorstop (Fresh Linen) - 156g

CODE: P6-044211

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods..... Dispose in accordance with local, provincial and federal regulations.

SECTION 14: TRANSPORT INFORMATION

TDG (Canada- Road)..... AEROSOLS, Class 2.1, UN1950.
 DOT (US-Road)..... AEROSOLS, Class 2.1, UN1950, LTD QTY, Consumer commodity ORM-D.
 IMDG (International- Marine)..... AEROSOLS, Class 2.1, UN1950.
 IATA (International- Air)..... AEROSOLS, Class 2.1, UN1950, LTD QTY.

SECTION 15: REGULATORY INFORMATION

Canada Regulations:..... WHMIS Classification. B5: Flammable Aerosol. D2B: Material causing other toxic Materials.
 US Regulations..... California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxics under California Proposed 65 at levels which would be subjected to the proposition. OSHA (29CFR 1910.1200). This product is considered hazardous under the OSHA Hazard Communication Standard.

SECTION 16: OTHER INFORMATION

Disclaimer..... The information contained herein is based on data considered accurate. No guarantee or warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. The SDS provider assumes no responsibility for personal injury or property damage to vendors or users or third parties, caused by the material. Such vendors or users assume all risks with the use of the material. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR. .
 Abbreviations..... ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA: Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous Materials Information System STOT: Specific Target Organ Toxicity.
 Prepared by Regulatory Affairs
 Latest Revision FEB 17/2017