



Empack Spraytech Inc.  
98 Walker Drive  
Brampton, Ontario, L6T 4H6  
Canada  
905-792-6571

**PRODUCT: emzone Sport Signal Air Horn Large - 156 g (5.5 oz.)**

**CODE: P7-046400**

### SECTION 01: IDENTIFICATION

Product Item Numbers..... P7-046400  
 Manufacturer..... Empack Spraytech Inc.  
 98 Walker Drive  
 Brampton  
 Ontario  
 Canada  
 L6T 4H6  
 905-792-6571  
 Product Identity..... emzone Sport Signal Air Horn Large - 156 g (5.5 oz.)  
 24 hour emergency telephone number..... In Canada: Call CANUTEC (613) 996-6666 - In The United States: Call CHEMTREC (800) 424-9300.  
 Recommended Use..... Signal air horn for boating, sports, outdoors and industrial sites.

### SECTION 02: HAZARD IDENTIFICATION



Label Elements:  
 Signal Word..... DANGER.  
 Hazard Classification:  
 Physical Hazards..... Flammable Aerosols - Category 1. Gases Under Pressure - Compressed gas.  
 Health Hazards..... Not Classified.  
 Environmental Hazards..... Not Classified.  
 Hazard Statement..... H222:Extremely flammable aerosol (1). H229:Pressurized container: may burst if heated (1). H280:Contains gas under pressure; may explode if heated (C).  
 Precautionary Statements:  
 Prevention..... P210:Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211:Do not spray on an open flame or other ignition source. P251:Do not pierce or burn, even after use.  
 Response..... P308+P313:If exposed or concerned: Get medical advice/attention.  
 Storage..... P410+P412:Protect from sunlight. Do not expose to temperatures exceeding 50°C /122°F.  
 P403:Store in a well ventilated place .  
 Disposal..... P501:Dispose of contents/container in accordance with local, regional, national, and/or international regulations.

### SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME AND SYNONYMS	CAS #	WT. %
Isobutane	75-28-5	30-60
Propane	74-98-6	30-60

### SECTION 04: FIRST-AID MEASURES

Inhalation..... If inhaled, remove to fresh air. If not breathing, give artificial respiration and obtain immediate medical assistance.  
 Skin Contact..... Wash exposed area with soap and water. Get medical attention.  
 Eye Contact..... Check for and remove contact lenses. Immediately flush eyes with water for a minimum of 15 minutes keeping eyelids open. Consult a doctor if any irritation occurs. Get medical attention if irritation persists.  
 Ingestion..... Ingestion is unlikely to occur. If swallowed do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention. Keep respiratory tract clear. Never give anything by mouth to an unconscious person.  
 Most important symptoms/effects, acute and delayed .. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Direct contact with eyes may cause temporary irritation. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. May cause redness and pain.  
 Indication of immediate medical attention and special treatment needed .. Provide general supportive measures and treat symptomatically. In case of shortness of breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

**PRODUCT: emzone Sport Signal Air Horn Large - 156 g (5.5 oz.)****CODE: P7-046400****SECTION 05: FIRE-FIGHTING MEASURES**

General Fire Hazards..... Extremely flammable aerosol.  
 Special Protective Equipment and ..... Firefighters must use standard protective equipment including flame retardant coat, helmet  
 Precautions for Firefighters with water to prevent vapor pressure build up. For massive fire in cargo area, use  
 unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Suitable Extinguishing Media..... Dry chemical powder. Carbon dioxide. Foam, water spray or fog.  
 Specific Hazards Arising from the Chemical In case of fire, the following can be released: Carbon Oxides (CO, CO<sub>2</sub>), Other unidentified  
 Organic Compounds.  
 Hazardous Combustion Products..... Hydrogen fluoride. Oxides of carbon.

**SECTION 06: ACCIDENTAL RELEASE MEASURES**

Personal Precautions, Protective ..... No action shall be taken involving any personal risk or without suitable training. Evacuate  
 Equipment and Emergency Procedures surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid  
 walking through spilled material. Avoid breathing vapor or mist. Provide adequate  
 ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate  
 personal protective equipment (see Section 08).

Methods and Materials for Containment .. Large spill or leak is unlikely in aerosol containers. If spill or leak occurs, ventilate enclosed  
 and Cleaning Up spaces and disperse gas with floor-level forced-air ventilation. Exhaust vapours outdoors.  
 Do not smoke or operate internal combustion engines. Remove flames and heating  
 elements.  
 Environmental Precautions..... Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent  
 environmental contamination.

**SECTION 07: HANDLING AND STORAGE**

Precautions for Safe Handling..... Contents under pressure. Avoid breathing vapour of this product. Avoid contact with skin  
 and eyes. Avoid prolonged exposure. Use in well-ventilated areas. Keep container tightly  
 closed. Use in well ventilated area. Avoid all sources of ignition, heat, flames and direct  
 sunlight.

Conditions for Safe Storage including any Pressurized container. Keep container tightly closed in a dry, cool and well-ventilated  
 Incompatibilities place. Protect from sunlight and do not expose to temperatures exceeding 50°C (122°F).  
 Do not puncture, incinerate or crush.

**SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION**

INGREDIENTS	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL	NIOSH
Isobutane	Not available	1,000 ppm	Not available	Not available	Not available	Not available
Propane	Not available	Not available	1,000 ppm	Not available	Not available	Not available
Appropriate Engineering Controls.....	Local exhaust ventilation required to maintain the point of use below the Threshold Limit Value if unprotected personnel are involved.					
Individual Protection Measures:						
Eye/Face Protection.....	Prevent eye contact, wear safety glasses in the event that eye contact is possible.					
Skin Protection.....	Chemical resistant gloves are recommended. Avoid contact with the skin. Wear appropriate chemical resistant clothing.					
Respiratory Protection.....	Use approved NIOSH respirators for emergencies. Not normally required if good ventilation is maintained .					
Thermal Hazards.....	None Known.					
General Hygiene Considerations.....	When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment prior to use.					

**SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Form..... Compressed Gas.  
 Physical Appearance..... Clear, colorless.  
 Odor..... No data .  
 Odor Threshold (ppm)..... Not available.  
 Aerosol Vapour Pressure (psig, 21°C)..... Not available.  
 Vapour Density (Air=1)..... Not available.  
 pH..... Not available.  
 Initial Boiling Point/Boiling Range (°C)..... -11.7°C (10.9 °F). (Isobutane).  
 Melting/Freezing Point (°C)..... Not available.  
 Flash Point (°C), Method..... -117 ° C. Closed cup. (Isobutane).  
 Flashback..... No data .  
 Evaporation Rate (n-Butyl Acetate = 1)..... Not applicable.  
 Relative Density/Specific Gravity..... No data.

**PRODUCT: emzone Sport Signal Air Horn Large - 156 g (5.5 oz.)****CODE: P7-046400****SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Solubility in water..... Not available .  
 Aerosol Flame Projection..... Not available .  
 Auto Ignition Temperature (°C)..... 460°C (860°F). (Isobutane).  
 Viscosity..... Not available.  
 Lower Explosive Limit (% vol)..... 1.8.  
 Upper Explosive Limit (% vol)..... 8.8.

**SECTION 10: STABILITY AND REACTIVITY**

Reactivity  
 Chemical Stability..... Material is stable under normal conditions.  
 Possibility of Hazardous Reactions..... Will not occur.  
 Conditions to Avoid..... Avoid sources of heat and flame, and electrostatic charge.  
 Incompatible Materials..... Keep away from heat. Strong oxidizing agents. Alkali and alkaline earth metals, powdered aluminium, zinc, magnesium and strong oxidizers, since they may react or accelerate decomposition.  
 Hazardous Decomposition Products..... May form carbon dioxide and carbon monoxide, and hazardous fumes.

**SECTION 11: TOXICOLOGICAL INFORMATION**

INGREDIENTS	LC50	LD50
Isobutane	658 mg/L (Rat - 4 hrs)	Not available
Propane	658 mg/L (Rat - 4 hrs)	Not available
Information on Likely Routes of Exposure:		
Routes of entry - Inhalation.....	Yes.	
Routes of entry - Skin & Eye.....	Yes.	
Routes of entry - Ingestion.....	No.	
Routes of entry - Skin Absorption.....	No.	
Symptoms Related to the Physical, Chemical and Toxicological Characteristics		
Acute Toxicity.....	Harmful if inhaled. Contact with skin and eyes may cause mild to moderate irritation and frostbite. Symptoms may include redness, pain, numbness, prickling and itching. Inhalation of vapours causes irritation to the nose, throat and respiratory tract, with coughing, wheezing, dizziness, headache, drowsiness, nausea and vomiting. Inhalation of higher concentrations may result in central nervous system depression and unconsciousness. High vapour concentrations reduce oxygen available for breathing, resulting in asphyxiation.	
Skin Corrosion/Irritation.....	Not expected to cause skin irritation. If irritation occurs, contact medical center.	
Serious Eye Damage/Eye Irritation.....	Direct contact with eyes causes temporary irritation.	
Respiratory or Skin Sensitization.....	Not expected to be a skin or respiratory sensitizers.	
Germ Cell Mutagenicity.....	No information is available, and no adverse effects are expected.	
Carcinogenicity.....	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
Reproductive Toxicity.....	No information is available, and no adverse effects are expected.	
STOT - Single Exposure.....	Not classified.	
STOT - Repeated Exposure.....	Not classified.	
Aspiration Hazard.....	Not classified.	
Chronic Effects.....	Prolonged inhalation may be harmful.	

**SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicity..... May be dangerous for the environment. No data is available on the product itself. Should not be released into the environment.  
 Persistence and degradability ..... The product itself has not been tested.  
 Bioaccumulation Potential..... The product itself has not been tested.  
 Mobility in Soil..... The product itself has not been tested.  
 Other Adverse Effects..... None Known.

**SECTION 13: DISPOSAL CONSIDERATIONS**

Appropriate Disposal Methods..... Dispose in accordance with local, provincial and federal regulations.

**SECTION 14: TRANSPORT INFORMATION**

TDG (Canada- Road)..... UN1950, AEROSOLS, Class 2.1, Ltd. Qty.  
 DOT (US-Road)..... UN1950, AEROSOLS, Class 2.1, Ltd. Qty., Consumer Commodity ORM-D.  
 IMDG (International- Marine)..... UN1950, AEROSOLS, Class 2.1, Ltd. Qty.  
 IATA (International- Air)..... UN1950, AEROSOLS, Class 2.1, Ltd. Qty.

**PRODUCT: emzone Sport Signal Air Horn Large - 156 g (5.5 oz.)**

**CODE: P7-046400**

### SECTION 15: REGULATORY INFORMATION

Canada Regulations:..... Refer to Section 2 for a WHMIS 2015 Classification for this product.  
 Canadian Environmental Protection Act ... All ingredients listed appear on the Domestic Substances List (DSL).  
 (CEPA)  
 US Regulations  
 TSCA Inventory Status..... All components are either listed or exempt from the TSCA.

### SECTION 16: OTHER INFORMATION

Disclaimer..... The information contained herein is based on data considered accurate. No guarantee or warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. The SDS provider assumes no responsibility for personal injury or property damage to vendors or users or third parties, caused by the material. Such vendors or users assume all risks with the use of the material. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR.

Abbreviations..... ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA: Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous Materials Information System STOT: Specific Target Organ Toxicity.

Prepared by ..... Regulatory Affairs  
 Latest Revision ..... 2020-12-15