

Empack Spraytech Inc. 98 Walker Drive Brampton, Ontario, L6T 4H6 Canada 905-792-6571

CODE: P7-047076

Emzone LCD & Plasma Screen Cleaner - 60 g (Laptop Kit)

SECTION 01: IDENTIFICATION

Product Identity..... Emzone LCD & Plasma Screen Cleaner - 60 g (Laptop Kit)

Product Item Numbers..... P7-047076

Empack Spraytech Inc. 98 Walker Drive Manufacturer.....

Brampton Ontario Canada L6T 4H6 905-792-6571

In Canada: Call CANUTEC (613) 996-6666 - In The United States: Call CHEMTREC (800) 24 hour emergency telephone number.....

424-9300.

Cleans computer monitors, LCD, LED and television screens. Recommended Use.....

SECTION 02: HAZARD IDENTIFICATION



Label Elements: Signal Word..... WARNING.

Hazard Classification:

Physical Hazards..... Aerosols - Category 3. Gases Under Pressure - Liquefied Gas.

Skin Irritation - Čategory 3. Health Hazards.....

Environmental Hazards..... Not Classified.

H229:Pressurised container: May burst if heated (3). H280:Contains gas under pressure; Hazard Statement.....

may explode if heated (L). H316:Causes mild skin irritation. Precautionary Statements:

P210:Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251:Do not pierce or burn, even after use. Prevention.....

Response..... P332+P313:If skin irritation occurs: Get medical advice/attention.

Storage..... P410+P412:Protect from sunlight. Do not expose to temperatures exceeding 50°C /122°F.

P403:Store in a well ventilated place.

None.

Hazard(s) not otherwise classified (HNOC) None Known.

Classified according to:.... GHS-UN classification. 7th revised edition, 2017.

| SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS | | | | | |
|--|-------------|-------|--|--|--|
| CHEMICAL NAME AND SYNONYMS | CAS# | WT. % | | | |
| Isobutane | 75-28-5 | 5-10 | | | |
| 2-Butoxyethanol | 111-76-2 | 1-5 | | | |
| Antistatic (and) UV agents | Proprietary | 0.1-1 | | | |

SECTION 04: FIRST-AID MEASURES

| Skin Contact | The product is not expected to be skin irritant. However, if irritation persists, wash the |
|--------------|--|
| | contact skin area with soap and water. |
| Eye Contact | Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the |
| • | upper and lower eyelids. Get medical attention if irritation persists. |
| Ingestion | Not likely to be ingested. If occurs, do not give anything by mouth to an unconscious |
| 9 | person. Do not attempt to give anything by mouth to an unconscious person. If victim is |
| | alert and not convulsing, rinse mouth out and give 1/2 to 1 glass of water to dilute material. |
| | DO NOT induce vomiting. If spontaneous vomiting occurs, have victim lean forward with |
| | head down to avoid breathing in of vomitus, rinse mouth and administer more water. |
| | Obtain medical attention IMMEDIATELY. Do not induce vomiting, get medical attention. |
| | Obtain medical advice. |
| Inhalation | No specific effects have been reported. Supply fresh air if any irritations persists. |

PRODUCT: Emzone LCD & Plasma Screen Cleaner - 60 g (Laptop Kit)

SECTION 04: FIRST-AID MEASURES

Most important symptoms/effects, acute .. and delayed

Direct eye contact may cause temporary eye irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. In case of shortness of breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be

CODE: P7-047076

SECTION 05: FIRE-FIGHTING MEASURES

General Fire Hazards.....Suitable Extinguishing Media..... Use as directed.

Dry chemical powder. Carbon dioxide. Foam, water spray or fog.

Unsuitable Extinguishing Media..... None in particular.

Specific Hazards Arising from the Chemical None known.

Special Protective Equipment and Precautions for Firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with water to prevent vapor pressure build up. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Remove undamaged containers from

immediate hazard area if it is safe to do.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions. Protective **Equipment and Emergency Procedures** Methods and Materials for Containment ..

and Cleaning Up

Environmental Precautions.....

Ensure adequate ventilation: avoid formation of dust. Wear protective equipment and keep unprotected persons away. Use respiratory protection against the effects of dust. Contain the spill. Clean up the spill area with detergent and water. Once spilled material

has been collected, use rags or other suitable material to clean spill area. Rags should be properly disposed off.
Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent

environmental contamination.

SECTION 07: HANDLING AND STORAGE

Precautions for Safe Handling.....

Avoid contact with eyes. Avoid breathing vapours or spray mists of this product. Use with adequate ventilation. Keep away from heat, sparks, and open flames.

Conditions for Safe Storage including any Incompatibilities

Store in a cool, dry, well-ventilated area away from incompatible substances. Do not store in direct sunlight.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

| INGREDIENTS | TWA | CGIH TLV STEL | OSH. PEL | A PEL STEL | NIOSH REL | |
|----------------------------------|---------------|------------------|---------------|---------------|---------------|--|
| Isobutane | Not available | 1,000 ppm | Not available | Not available | Not available | |
| 2-Butoxyethanol | 20 ppm | Not available | 50 ppm | Not available | Not available | |
| Antistatic (and) UV agents | Not available | Not available | Not available | Not available | Not available | |
| Appropriate Engineering Controls | | | | | | |
| Skin Protection | | | | | Use approved | |
| Thermal Hazards | | | | | | |

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

| - | Physical State | Foam. |
|---|---|------------------|
| I | Physical Appearance | White. |
| (| Odour | No odour. |
| | Odour Threshold (ppm) | Not available. |
| | DH | 8.0 - 10.0. |
| | √apour Pressure (psig) | 45-65. |
| | Evaporation Rate (n-Butyl Acetate = 1) Boiling Point (°C) | Not available. |
| ı | Boiling Point (°C) | 100. |
| ١ | VOC Content | No data. |
| - | Relative Density/Specific Gravity | 0.990-1.000. |
| , | Solubility in water | Soluble in water |

CODE: P7-047076

PRODUCT: Emzone LCD & Plasma Screen Cleaner - 60 g (Laptop Kit)

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

460°C (860°F). (Isobutane). Auto Ignition Temperature (°C)..... Flash Point (°C), Method..... -82.8. (Ìsobutane).

Lower Explosive Limit (%, vol)..... Upper Explosive Limit (%, vol)..... 1.8. (Isobutane). 8.8. (Isobutane).

Viscosity..... No data.

SECTION 10: STABILITY AND REACTIVITY

Product not reactive under normal conditions of use.

Stable at normal temperatures and pressures.

Possibility of Hazardous Reactions..... Will not occur.

Conditions to Avoid..... Avoid sources of heat and flame, and electrostatic charge.

Incompatible Materials..... Avoid contacting with oxidizers. Hazardous Decomposition Products...... Normal products of combustion.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS LC50 LD50

658 mg/L (Rat - 4 hrs) Isobutane Not available

2-Butoxyethanol 450 ppm (Rat - 4 hrs) 470 mg/kg (Oral - Rat)

Antistatic (and) UV agents Not available Not available

Information on Likely Routes of Exposure: Routes of entry - Inhalation.....

No. Routes of entry - Skin & Eye..... Yes.

Yes.

2-butoxyethanol may be absorbed through the skin in toxic amounts if contact is repeated

and prolonged. These effects have not been observed in humans.

Irritant effects.

Symptoms Related to the Physical, Chemical and Toxicological Characteristics

Acute Toxicity..... No known significant effects. Skin Corrosion/Irritation..... May cause mild skin irritation.

Serious Eye Damage/Eye Irritation..... Not classified.

Respiratory or Skin Sensitization..... Not expected to be a skin or respiratory sensitizers.

Germ Cell Mutagenicity..... No information is available, and no adverse effects are expected. Carcinogenicity..... Not classified as carcinogenic by ACGIH, IARC, OSHA or NTP.

Reproductive Toxicity..... Based on available data, the classification criteria are not met.

STOT - Single Exposure..... Not classified. STOT - Repeated Exposure..... Not classified.

Aspiration Hazard..... Based on available data, the classification criteria are not met.

Chronic Effects..... No long term chronic effects are known or anticipated.

SECTION 12: ECOLOGICAL INFORMATION

May be dangerous for the environment. No data is available on the product itself. Should Ecotoxicity.....

not be released into the environment.

The product itself has not been tested. The product itself has not been tested. Persistence and degradability Bioaccumulation Potential.....

Mobility in Soil..... The product itself has not been tested.

Other Adverse Effects..... None Known.

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods..... Dispose in accordance with local, provincial and federal regulations.

SECTION 14: TRANSPORT INFORMATION

TDG (Canada- Road)..... UN1950, AEROSOLS, Class 2.2, Ltd. qty.



PRODUCT: Emzone LCD & Plasma Screen Cleaner - 60 g (Laptop Kit)

SECTION 15: REGULATORY INFORMATION

Canada Regulations:.....

Domestic Substances List (DSL)..... Refer to Section 2 for a WHMIS 2015 Classification for this product. Yes. All substances contained in this product are listed on the TSCA inventory or are exempt. US Regulations.....

SECTION 16: OTHER INFORMATION

Disclaimer..... The information contained herin is based on data considered accurate. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Empack assumes no responsibility for personal injury or property damage to vendees or users or third parties, caused by the material. Such vendees or users assume all risks with the use of the material. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR. ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical Abbreviations..... Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA:

Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHMIS: Workplace Hazardous Materials Information System STOT: Specific Target Organ Toxicity.

CODE: P7-047076

Regulatory Affairs Prepared by Latest Revision 2019-06-06